

秋津口

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H4.2.12		晴/曇	13	7.19	2.6	75	589	121	83	49	9.5
H4.2.19		晴/晴	13.4	7.07	2.7	102	338				
H4.2.26		晴/晴	12	6.87	3.4	102	531				
H4.3.2		晴/晴	15	7.32	3.2	136	567				
H4.3.10		雨/晴	15.1	7.19	3.2	69	343	100	71	40	8.4
H4.3.24		雨/曇	15.8	6.91	1.8	102	546				
H4.4.2		雨/晴	17.8	6.35	1.2	109	492				
H4.4.8		晴/曇	17.8	6.57	1.8	64	442	190	86	38	14
H4.4.27		晴/晴	19.3	6.91	1.4	81	374				
H4.5.6		晴/晴	19.4	6.77	1.4	98	529				
H4.5.15		曇/晴	20.3	7.26	1.1	75	344				
H4.5.22		晴/晴	21.7	7.7	1	39	411	78	36	30	10
H4.5.27		晴/晴	21.7	7.2	1.1	27	431				
H4.6.3		晴/晴	23	7.14	1.4	-35	512				
H4.6.9		晴/晴	22.8	7.19	1.4	102	596	110	77	34	7.9
H4.6.17		晴/曇	21.6	7.1	1	128	348				
H4.6.26		晴/曇	21.9	7.04	1.2	72	762				
H4.7.10		晴/晴	24.2	7.28	0.8	98	452	31	22	28	5.9
H4.7.22		晴/晴	25.7	7.26	0.8	86	500				
H4.7.27		晴/晴	26	7.44	0.8	99	557				
H4.8.11		晴/晴	26.6	6.65	0.7	-167	420	150	57	39	9.2
H4.9.8		晴/晴	25.7	7.09	1.1	-115	690	93	40	35	8.8
H4.9.21		晴/曇	22.2	7.32	1.2	-27	482				
H4.10.13		曇/曇	21.7	7.28	1	-78	786	54	25	22	7.6
H4.11.2		晴/晴	16.1	7.02	1.4	-102	697				
H4.11.18		晴/曇	16.7	7.02	1.3	-89	701	120	45	45	10
H4.11.30		晴/晴	16.2	6.75	1.8	-22	671				
H4.12.18		晴/曇	12.6	6.92	1.9	53	389	100	54	35	7.1
H5.1.12		晴/晴	13.9	7.14	2.3	108	673	210	160	40	7.6
H5.1.27		晴/曇	11.1	7.13	2.5	31	469				
H5.2.9		晴/曇	12.3	7.14	2.4	96	585	100	87	49	19
H5.3.9		晴/晴	13.2	6.3	2.7	108	531	92	84	55	6
H5.4.2		晴/晴	15.9	7.26	2	81	620				
H5.4.13		晴/晴	15.5	7.78	2.7	56	587	76	39	42	8.9
H5.5.12		曇/曇	20.6	7.6	0.9	56	508	36	25	22	7.1
H5.6.9		晴/曇	21.2	7.11	1.4	-34	424	91	44	28	11
H5.7.13		晴/曇	24.1	7.36	0.4	-53	631	28	17	12	1.8
H5.8.18		曇/曇	26.5	7.07	0.6	64	386	120	39	68	13
H5.9.20		晴/曇	23.2	7.36	0.2	-62	624	93	32	21	6
H5.10.13		晴/曇	22.2	7.63	0.9	117	384	260	140	40	3
H5.11.9		曇/晴	18.1	7.5	1.2	81	440	140	85	28	8
H5.12.8		晴/晴	15.3	7.82	1.6	131	634	120	100	37	8.3
H6.1.19		曇/晴	11.6	8.02	3.2	175	478	42	25	39	2.5
H6.2.8		晴/晴	13.3	7.39	2.1	180	434	170	100	32	5.5
H6.3.11		晴/晴	12	7.83	3.2	183	444	34	20	15	5.9
H6.4.12		晴/雨	17.3	7.47	1.3	158	518	64	47	26	8.5
H6.5.17		晴/晴	24.4	7.42	0.7	209	394	41	26	22	3.7
H6.6.17		晴/晴	24.3	7.39	0.8	172	375	110	29	18	5.8
H6.7.12		晴/晴	27.7	7.33	0.6	11	512	57	26	20	5.6
H6.8.9		晴/晴	28.1	7.41	1.2	145	450	130	61	38	12
H6.9.13		曇/曇	25.2	7.16	4.2	30	410	61	26	14	4.5
H6.10.11		曇/曇	23.8	7.15	4.5	47	466	100	33	25	4.3
H6.11.16		晴/曇	17.8	7.25	0.5	79	555	200	42	15	4
H6.11.22		雨/曇	18.3	7.3	1.2	77	458				
H6.11.29		晴/雨	17.1	6.92	1.6	-21	504				
H6.12.6		晴/晴	15.5	7.05	2.5	223	446				
H6.12.13		晴/曇	16.9	7.17	1.8	73	438	130	57	22	5.2
H7.1.11		晴/晴	11.4	7.28	2.4	142	414	83	43	18	7.5
H7.2.10		晴/晴	12	7.49	3	143	523	84	50	41	5.7
H7.3.14		曇/晴	13	7.3	2.5	122	441	74	33	19	5.9
H7.4.26		曇/晴	19.2	7.42		142	472	950	640	58	3.7
H7.5.24		晴/晴	20.7	7.01		159	684	75	40	18	7
H7.6.7		晴/晴	22.2	7.72		76	687	190	91	72	22

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H7.7.19		晴/晴	25.1	7.11		31	468	560	320	84	5.5
H7.8.7		晴/晴	26.8	6.99		-84	448	54	31	37	2.9
H7.9.13		晴/晴	24.2	6.66		-38	905	180	67	48	11
H7.10.24		晴/晴	21.7	7.08		105	467	130	60	110	21
H7.11.14		晴/晴	17.6			93	437	100	51	36	8
H7.12.6		晴/晴	12.8	7.2		77	588	350	290	75	12
H8.1.10	9:12	晴/晴	10.7	7.53		79	590	49	37	27	7.6
H8.2.20	10:00	晴/晴	11.5	7.49	3.87	99	485	130	61	41	1.2
H8.3.12	9:10	晴/晴	12	8.75	4.71	101	614	65	48	61	4.2
H8.4.17	10:00	晴/晴	15.4	7.47	2.92	114	931	230	200	25	1.7
H8.5.14	9:30	晴/晴	19.7	7.18	1.25	14	503	72	39	27	4.6
H8.6.11	9:45	曇/雨	24.5	7.84	2.72	200	658	230	200	25	1.7
H8.7.23	9:30	晴/晴	26.5	7.08	1.32	-9	947	490	430	96	3.7

	水温	PH	DO	ORP	導電率	BOD	COD	SS	n-hex
平均	18.9	7.24	1.81	68	528	143.5	86.5	37.8	7.5
中央値(メジアン)	18.8	7.2	1.4	80	502	100	49	35	7.1
範囲	17.4	2.45	4.51	390	609	922	623	98	20.8
最小	10.7	6.3	0.2	-167	338	28	17	12	1.2
最大	28.1	8.75	4.71	223	947	950	640	110	22
標本数	76	75	66	76	76	54	54	54	54

# 切戸橋

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H3.4.15				6.9	1			240		30	
H3.5.14				5.4	1.4			200		26	
H3.6.12				6.7	1			45		22	
H3.8.7				7				93		42	
H3.9.10				6.9	1.2			49		27	
H3.10.18		雨/晴	20.7	7.51	5.3	55	371				
H3.10.21		晴/晴	18.6	7.24	1.9	-44	638	220	98	40	4.1
H3.10.22		晴/晴	19.7	7.08	2.2	-60	484				
H3.10.29		晴/曇	20.2	6.99	1.8	-80	455	150	75	32	5.8
H3.11.6		晴/晴	17.8	7	1.6	-84	493	120	56	35	43
H3.11.11		晴/晴	16.9	6.95	1.6	65	440	110	57	23	6.1
H3.11.20		晴/晴	15.7	6.85	1.5	53	423				
H3.11.30		晴/晴	16.6	6.98	2.5	99	420				
H3.12.10		晴/晴	14.9	6.73	1.6	14	378				
H3.12.10		一時雨/晴	14.5	7.04	1.9	76	348	46	28	23	3.1
H3.12.20		晴/晴	15.3	7.42	2.6	140	247				
H4.1.8		晴/晴	14.6	7.02	2	116	549	130	100	27	8.9
H4.1.16		晴/晴	12.8	7.46	2.2	84	603				
H4.1.22		雨/晴	12.7	6.84	2.4	100	452				
H4.1.28		晴/晴	12.7	7.09	1.9	92	424				
H4.2.6		晴/晴	12.6	6.78	2.8	131	476				
H4.2.12		晴/曇	11.7	7.41	2.2	81	602	90	56	44	8.1
H4.2.19		晴/晴	13	6.91	2.1	89	374				
H4.2.26		晴/晴	11.6	6.83	3.4	69	613				
H4.3.2		晴/晴	15	7.49	3.1	106	692				
H4.3.10		雨/晴	14.8	7.25	2.8	83	630	120	56	36	7.6
H4.3.24		雨/曇	16	6.89	1.3	109	359				
H4.4.2		雨/晴	17.8	6.32	0.9	80	465				
H4.4.8		晴/曇	18.2	6.62	1.2	7.5	749	160	54	31	11
H4.4.27		晴/晴	19.3	7.03	1.1	39	362				
H4.5.6		晴/晴	19.8	6.84	1.3	71	427				
H4.5.15		曇/晴	20.6	7.07	0.9	63	403				
H4.5.22		晴/晴	21.6	6.99	0.7	35	483	120	6.7	48	14
H4.5.27		晴/晴	22.8	6.97	1	15	439				
H4.6.3		晴/晴	22.9	6.87	0.8	-54	691				
H4.6.9		晴/晴	22.6	6.94	1.2	108	489	84	41	25	7.4
H4.6.17		晴/曇	21.6	6.87	1	115	630				
H4.6.26		晴/曇	22.3	6.92	1.4	88	413				
H4.7.10		晴/晴	24.3	7.04	1.5	88	564	36	25	19	1.5
H4.7.22		晴/晴	25.5	7.33	0.7	109	419				
H4.7.27		晴/晴	25.9	7.38	0.9	101	904				
H4.8.11		晴/晴	25.7	6.75	0.6	-168	402	350	75	16	7.5
H4.9.8		晴/晴	25.2	7.13	0.9	-11	585	62	32	22	9.3
H4.9.21		晴/曇	22.4	7.2	0.9	-90	578				
H4.10.13		曇/曇	21.7	7.21	0.9	-88	552	70	57	25	10
H4.11.2		晴/晴	16	7.23	1	-111	463				
H4.11.18		晴/曇	16.8	6.98	1.4	-104	548	170	52	57	10
H4.11.30		晴/晴	15.7	6.92	1.3	-35	442				
H4.12.18		晴/曇	12.3	7.15	2.3	48	391	93	56	98	5.1
H5.1.12		晴/晴	13.4	7.04	2.2	89	552	110	63	33	9.9
H5.1.27		晴/曇	12.4	7.1	1.7	29	395				
H5.2.9		晴/曇	12.1	6.92	2.8	96	462	99	28	30	12
H5.3.9		晴/晴	13.3	6.9	3.2	111	593	63	41	29	9
H5.4.2		晴/晴	16.4	7.58	1.9	80	480				
H5.4.13		晴/晴	15.7	7.67	1.9	6	443	95	4.7	42	13
H5.5.12		曇/曇	20.6	7.51	0.8	0	734	31	21	19	11
H5.6.9		晴/曇	21.3	6.93	1.3	82	438	82	35	20	10
H5.7.13		晴/曇	24	6.89	0.2	-107	723	44	22	18	4.2
H5.8.18		曇/曇	27.7	7.14	0.2	42	716	100	35	56	12
H5.9.20		晴/曇	22.9	7.4	0.2	0	708	55	22	18	5.2
H5.10.13		曇/曇	22.2	7.94	1.2	110	438	240	150	39	7.4
H5.11.9		曇/晴	17.8	7.91	1.6	90	548	60	32	30	9.8
H5.12.8		晴/晴	15.5	7.84	2.5	123	722	210	180	61	8.4

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H6.1.19		曇/晴	11.7	7.85	2.6	216	456	38	26	59	4.8
H6.2.8		晴/晴	13.2	7.43	1.8	204	550	100	78	28	4.5
H6.3.11		晴/晴	11.7	7.99	2.5	233	398	32	23	12	7.1
H6.4.12		晴/雨	17.3	7.35	1.4	146	524	72	53	28	8.3
H6.5.17		晴/晴	21.7	7.41	0.4	243	384	38	26	26	3.4
H6.6.17		晴/晴	25	7.27	1	180	364	74	29	16	7
H6.7.12		晴/晴	27.2	7.28	0.7	134	593	49	27	14	3.3
H6.8.9		晴/晴	28.2	7.37	1.3	105	539	130	51	18	6.8
H6.9.13		曇/曇	25	7.17	1.6	77	588	40	24	18	1.4
H6.10.11		曇/曇	23.9	7.4	0.9	130	406	88	50	24	12
H6.11.16		晴/曇	17.1	7.46	0.1	130	396	39	22	14	3.3
H6.11.22		雨/曇	18.2	7.27	0.7	0	407				
H6.11.29		晴/雨	17.1	6.87	1.1	-89	516				
H6.12.6		晴/晴	15.6	6.92	1.5	24	424				
H6.12.13		晴/曇	17	7.32	1.7	52	429	350	54	49	5.4
H7.1.11		晴/晴	10.7	7.27	2.9	50	409	60	34	10	4.3
H7.2.10		晴/晴	11.8	7.41	3.2	82	449	100	52	29	5.8
H7.3.14		曇/晴	12.7	7.17	2.5	85	444	60	23	21	7
H7.4.26		曇/晴	16.9	7.25		153	497	490	380	33	7.3
H7.5.24		晴/晴	23.4	6.88		180	534	30	19	10	2.9
H7.6.7		晴/晴	23.2	7.54		34	458	150	74	46	6
H7.7.19		晴/晴	25.3	7.19		181	835	40	19	14	2.8
H7.8.7		晴/晴	27.5	7.1		-80	438	54	31	37	2.9
H7.9.13		晴/晴	24.2	6.93		-89	420	47	23	16	2.6
H7.10.24		晴/晴	21.2	7.01		63	502	200	110	30	4.3
H7.11.14		晴/晴	16.8	7.09		36	416	68	29	16	4.9
H7.12.6		晴/晴	14.1	7.08		-71	446	290	200	52	7
H8.1.10	8:43	晴/晴	10.1	7.69		131	426	35	28	15	3.5
H8.2.20	10:10	晴/晴	11.8	7.32	3.17	100	454	130	66	33	1.4
H8.3.12	8:35	晴/晴	11.3	7.73	3.46	193	515	63	43	24	7
H8.4.17	9:50	晴/晴	15.8	7.62	2.43	101	840	210	130	47	2.7
H8.5.14	8:55	晴/晴	19.6	7.37	1.7	96	1,464	40	28	15	3.3
H8.6.11	9:50	曇/雨	23.5	7.25	2.76	156	370	210	190	19	0.5
H8.7.23	8:45	晴/晴	25.9	7.3	0.57	104	503	31	23	28	4.2

	水温	PH	DO	ORP	導電率	BOD	COD	SS	n-hex
平均	18.4	7.2	1.66	61	513	112.4	58.7	29.9	7
中央値(メジアン)	17.6	7.1	1.5	82	463	88	41	27	6.5
範囲	18.1	2.6	5.2	411	1,217	460	375.3	88	42.5
最小	10.1	5.4	0.1	-168	247	30	4.7	10	0.5
最大	28.2	8	5.3	243	1,464	490	380	98	43
標本数	92	97	86	92	92	65	60	65	60

## ゲート下流

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H3.10.18		雨/晴	20.7	7.37	5	29	403				
H3.10.21		晴/晴	19.1	6.99	1.6	-51	630	150	78	41	4.1
H3.10.22		晴/晴	21.1	7.09	1.6	-95	502				
H3.10.29		晴/曇	19.5	6.93	2.1	-58	420	190	77	47	2.5
H3.11.6		晴/晴	18.4	6.85	2.8	1	421	83	33	23	12
H3.11.11		晴/晴	17.3	7.15	2.1	36	435	55	54	31	6.5
H3.11.20		晴/晴	15.4	6.92	2.7	33	449				
H3.11.30		晴/晴	16.7	6.93	2.6	50	462				
H3.12.10		晴/晴	14	6.69	2.5	37	512				
H3.12.10		一時雨/晴	14.1	7.03	2.7	78	380	54	27	15	1.7
H3.12.20		晴/晴	13.7	7.17	2.9	112	269				
H4.1.8		晴/晴	14.6	7.35	2.7	144	364	81	36	17	0.5
H4.1.16		晴/晴	12.4	7.19	3	101	677				
H4.1.22		雨/晴	13	6.95	2.9	123	719				
H4.1.28		晴/晴	11.9	7.13	2.8	87	441				
H4.2.6		晴/晴	12.7	7.14	2.9	143	357				
H4.2.12		晴/曇	11.9	7.31	2.7	114	312	55	28	24	4.4
H4.2.19		晴/晴	12.4	6.97	3	62	502				
H4.2.26		晴/晴	10.7	6.97	4	82	372				
H4.3.2		晴/晴	14.8	7.05	3.3	112	718				
H4.3.10		雨/晴	14.6	7.37	3.2	81	557	52	29	21	3.9
H4.3.24		雨/曇	15.8	6.88	2.5	84	976				
H4.4.2		雨/晴	17.7	6.31	1.8	75	390				
H4.4.8		晴/曇	17.8	6.47	1.8	93	433	170	75	37	13
H4.4.27		晴/晴	19	7.04	1.7	72	372				
H4.5.6		晴/晴	19.4	7.01	1.8	83	389				
H4.5.15		曇/晴	20.6	7.14	1.5	66	364				
H4.5.22		晴/晴	22.7	7.16	1.5	54	494	46	32	14	
H4.5.27		晴/晴	22.7	7.01	1.7	34	506				
H4.6.3		晴/晴	24.3	6.69	1.4	-122	566				
H4.6.9		晴/晴	22.3	6.94	2	126	434	35	22	15	2.7
H4.6.17		晴/曇	21.5	6.96	1.6	116	666				
H4.6.26		晴/曇	21.8	6.79	1.9	102	756				
H4.7.10		晴/晴	25.1	7.28	1.7	101	361	32	24	19	5.5
H4.7.22		晴/晴	25.7	7.11	1.4	125	372				
H4.7.27		晴/晴	26.8	7.31	1.5	86	366				
H4.8.11		晴/晴	6.8	6.79	0.8	-143	383	110	32	8.7	9.3
H4.9.8		晴/晴	26.1	7.11	1.5	52	782	59	38	20	9.2
H4.9.21		晴/曇	22.6	6.99	1.4	-99	765				
H4.10.13		曇/曇	21.8	7.17	1.3	-63	598	52	29	19	4.9
H4.11.2		晴/晴	16.2	7.16	1.5	-124	480				
H4.11.18		晴/曇	16.1	6.99	1.5	-92	405	230	100	64	6.6
H4.11.30		晴/晴	15.6	6.94	2.2	0	402				
H4.12.18		晴/曇	12.9	6.61	2.6	81	426	43	27	32	4.6
H5.1.12		晴/晴	13.4	6.78	2.9	116	571	120	71	31	7.4
H5.1.27		晴/曇	12.2	7.13	3.1	0	426				
H5.2.9		晴/曇	11.7	7.24	2.4	141	453	92	59	28	7.9
H5.3.9		晴/晴	12.8	6.9	3.6	124	384	57	33	23	11
H5.4.2		晴/晴	16.3	7.81	2.3	99	736				
H5.4.13		晴/晴	15.5	7.76	3.2	82	613	69	36	29	5.5
H5.5.12		曇/曇	20.2	7.74	1.5	43	414	51	24	21	5.3
H5.6.9		晴/曇	20.9	7.13	1.4	23	355	79	30	15	8.3
H5.7.13		晴/曇	24.3	7.38	0.9	-27	492	37	20	17	3.4
H5.8.18		曇/曇	27.3	7.03	0.8	116	404	50	23	24	4.6
H5.9.20		晴/曇	22.6	7.54	0	-40	573	68	27	28	25
H5.10.13		晴/曇	22.1	8.13	0.6	199	605	28	17	12	2
H5.11.9		曇/晴	16.4	7.45	0.8	156	645	21	16	7	1.7
H5.12.8		晴/晴	15.1	8.11	2	299	714	43	24	17	5.2
H6.1.19		曇/晴	10.3	7.85	3.1	214	530	19	10	26	0.5
H6.2.8		晴/晴	13.2	7.5	1.7	227	635	53	31	23	3.4
H6.3.11		晴/晴	9.3	8.11	2.9	222	401	13	11	8.2	1.5
H6.4.12		晴/雨	18.3	7.51	0.9	207	398	49	36	22	5.7
H6.5.17		晴/晴	20.4	7.51	1.2	290	372	21	19	8.8	1.3

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H6.6.17		晴/晴	25.5	7.39	1.6	205	419	24	19	14	2.9
H6.7.12		晴/晴	26.7	7.22	0	89	968	37	14	7.7	2.1
H6.8.9		晴/晴	28.2	7.22	1	173	564	66	25	42	5.2
H6.9.13		曇/曇	24.6	7.22	1.5	125	672	41	24	14	3.5
H6.10.11		曇/曇	25.9	7.21	1.5	49	415	110	58	24	4.4
H6.11.16		晴/曇	17.1	7.37	1.3	86	395	38	15	13	3.2
H6.12.13		晴/曇	16.5	7.27	2.2	44	460	300	58	250	4.5
H7.1.11		晴/晴	9.3	7.33	2.7	59	416	41	25	13	2.1
H7.2.10		晴/晴	11.2	7.57	4	109	487	200	74	30	4.2
H7.3.14		曇/晴	11.8	7.21	2.6	29	570	75	35	38	3.3
H7.4.26		曇/晴	17.8	7.26		173	513	200	170	20	3.9
H7.5.24		晴/晴	19.9	7.79		185	410	24	19	3.2	2.2
H7.6.7		晴/晴	23.8	7.59		139	431	66	36	26	9.7
H7.7.19		晴/晴	25.6	7.32		128	430	53	24	13	4.5
H7.8.7		晴/晴	29.1	6.99		172	1,378	44	25	17	1.9
H7.9.13		晴/晴	24.3	6.94		30	573	45	23	13	3
H7.10.24		晴/晴	21.3	6.94		122	491	400	280	34	3.8
H7.11.14		晴/晴	14.1			62	407	64	34	30	2
H7.12.6		晴/晴	12.5	7.04		-50	434	160	100	40	4.6
H8.1.10	8:55	晴/晴	8.8	7.5		124	641	33	28	15	1.6
H8.2.20	10:25	晴/晴	11.7	7.45	3.91	180	570	48	29	18	0.5
H8.3.12	8:50	晴/晴	10	7.32	3.69	170	433	81	50	27	3.3
H8.4.17	10:25	晴/晴	16.3	7.43	2.3	186	665	290	210	54	2.1
H8.5.14	9:15	晴/晴	19.8	7.2	2.05	122	692	42	29	13	3.6
H8.6.11	10:15	曇/雨	23.7	7.18	2.9	221	263	520	500	40	1.6
H8.7.23	9:10	晴/晴	26.3	7.2	1.26	142	507	26	24	25	3.8

	水温	PH	DO	ORP	導電率	BOD	COD	SS	n-hex
平均	18	7.2	2.12	84	511	89.9	52.6	27	5.2
中央値(メジアン)	17.7	7.17	2	87	453	53.5	29	21.5	3.9
範囲	22.4	1.82	5	442	1,115	507	490	246.8	32.5
最小	6.8	6.31	0	-143	263	13	10	3.2	0.5
最大	29.1	8.13	5	299	1,378	520	500	250	33
標本数	89	88	79	89	89	60	60	60	59

# 第一ポンプ場

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H3.4.15				7.1	0.7					16	
H3.5.14				6.6	1.7			87		14	
H3.6.12				6.9	1			45		22	
H3.8.7				6.9				100		12	
H3.9.10				6.4	0.3			100		43	
H3.10.18		雨/晴	20.4	7.21	4.4	41	430				
H3.10.21		晴/晴	19.1	7	0.3	-100	460	140	56	27	2.1
H3.10.29		晴/曇	19.8	7.01	1.6	5	392	45	24	14	3.7
H3.11.6		晴/晴	17.7	6.71	1.2	-59	567	100	46	43	13
H3.11.11		晴/晴	16.8	7.06	1.7	60	462	130	62	27	5.4
H3.11.20		晴/晴	14.8	7.02	1.1	31	560				
H3.11.30		晴/晴	17	7.22	2.5	89	368				
H3.12.10		晴/晴	14.4	6.74	1.3	29	400				
H3.12.10		一時雨/晴	14.3	7.07	2	39	453	43	19	8	2
H3.12.20		晴/晴	14.8	7.54	3.3	81	255				
H4.1.8		晴/晴	14.2	7.41	2.6	120	366	87	61	22	4.6
H4.1.16		晴/晴	10.8	7.03	2.1	64	731				
H4.1.22		雨/晴	11.9	7.05	2.2	56	743				
H4.1.28		晴/晴	11.2	7.01	2.5	33	539				
H4.2.6		晴/晴	11.9	6.8	3	64	708				
H4.2.12		晴/曇	11.8	7.02	2.1	24	518	86	49	37	3.4
H4.2.19		晴/晴	12	6.79	2.4	50	1,051				
H4.2.26		晴/晴	12.7	7.09	5.14	93	268				
H4.3.2		晴/晴	14.8	7.08	3	44	751				
H4.3.10		雨/晴	14.6	7.27	2.5	62	390	69	35	25	9.3
H4.3.24		雨/曇	15.2	7.48	1.5	77	432				
H4.4.2		雨/晴	17	6.17	1	71	393				
H4.4.8		晴/曇	17.8	6.46	1	63	571	72	28	50	11
H4.4.27		晴/晴	18.9	7.32	1.2	198	355				
H4.5.6		晴/晴	17.1	6.83	1.2	177	393				
H4.5.15		曇/晴	20.2	7.32	1	63	361				
H4.5.22		晴/晴	23.2	7.02	0.9	44	409	49	35	18	
H4.5.27		晴/晴	24.6	6.79	0.8	23	496				
H4.6.3		晴/晴	24.7	7.12	0.9	13	612				
H4.6.9		晴/晴	23.1	6.9	1.7	115	308	33	22	19	3.5
H4.6.17		晴/曇	21.5	7.19	0.6	112	501				
H4.6.26		晴/曇	22	7.07	1.4	116	622				
H4.7.10		晴/晴	24.6	6.97	0.3	66	414	38	27	17	7.1
H4.7.22		晴/晴	25.4	7.18	0.5	71	404				
H4.7.27		晴/晴	26	7.09	0.4	84	587				
H4.8.11		晴/晴	26.3	6.82	0.6	35	381	40	22	9.2	3
H4.9.8		晴/晴	25.8	6.98	0.2	-158	406	83	34	21	6.7
H4.9.21		晴/曇	21.6	6.89	0.8	-122	617				
H4.10.13		曇/曇	22.1	6.99	0.7	-99	787	69	31	18	4.3
H4.11.2		晴/晴	14.5	7.47	0.9	-108	886				
H4.11.18		晴/曇	15.5	7.03	0.7	-32	467	71	30	26	4.7
H4.11.30		晴/晴	14.9	7.08	1.2	70	641				
H4.12.18		晴/曇	12.4	6.99	2.2	39	473	89	38	22	4
H5.1.12		晴/晴	12.7	7.08	2	52	477	77	46	21	5.8
H5.1.27		晴/曇	11.1	7.15	2.3	-34	419				
H5.2.9		晴/曇	11.4	6.6	2.5	77	394	100	64	30	11
H5.3.9		晴/晴	11.2	6.7	3.1	89	773	62	38	26	9.8
H5.4.2		晴/晴	14.6	7.55	1.6	9	422				
H5.4.13		晴/晴	12.8	7.58	1.9	-7	620	65	38	57	5.2
H5.5.12		曇/曇	19.4	7.81	0.9	67	406	16	16	14	3.5
H5.6.9		晴/曇	21.8	7.55	0.6	-31	541	79	30	15	8.3
H5.7.13		晴/曇	24.4	7.2	0	-114	712	23	15	7.5	1
H5.8.18		曇/曇	27	7.32	0.2	56	443	62	20	38	5.5
H5.9.20		晴/曇	22.8	7.67	0.9	112	530	81	27	29	8.9
H5.10.13		晴/曇	22.2	8.22	1.8	227	540	75	23	16	3.6
H5.11.9		曇/晴	17.1	7.07	1.6	59	509	51	38	21	4.2
H5.12.8		曇/晴	15.9	7.87	2.4	188	581	140	120	29	3.1
H6.1.19		曇/晴	11.3	7.92	3	227	404	66	32	55	4.2

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H6.2.8		晴/晴	13.2	7.68	2.5	231	482	78	54	21	5.5
H6.3.11		晴/晴	9.9	8.06	2.8	186	412	51	30	37	1.4
H6.4.12		晴/雨	18.4	7.25	1.8	192	448	75	51	34	6
H6.5.17		晴/晴	21.3	7.38	1	222	365	36	21	17	5.9
H6.6.17		晴/晴	25.2	7.24	1.8	218	472	41	28	18	5.7
H6.7.12		晴/晴	27.3	7.15	0.9	140	503	41	23	12	2.8
H6.8.9		晴/晴	28.6	7.35	1.1	183	475	130	51	18	6.8
H6.9.13		曇/曇	24.7	7.11	1.7	142	536	41	24	14	3.5
H6.10.11		曇/曇	24.2	7.23	1.3	95	415	150	76	29	2.3
H6.11.16		晴/曇	16.4	7.11	0.8	26	406	50	24	10	2.1
H6.12.13		晴/曇	16.9	7.23	2.4	129	414	44	23	19	3.3
H7.1.11		晴/晴	9.3	7.42	2.3	106	532	72	32	11	4.3
H7.2.10		晴/晴	10.6	7.63	4.4	145	384	37	29	19	3.9
H7.3.14		曇/晴	10.6	7.45	3.6	120	496	54	27	12	3.6
H7.4.26		曇/晴	17.2	7.15		182	521	27	50	13	0.5
H7.5.24		晴/晴	19.8	7.74		132	1,105	21	16	7.3	1.8
H7.6.7		晴/晴	23.1	7.42		101	431	29	19	10	0.9
H7.7.19		晴/晴	24.9	7.07		108	447	24	14	6.5	2
H7.8.7		晴/晴	27.3	7.25		133	444	22	17	8.7	1.4
H7.9.13		晴/晴	22.3	6.9		34	690	36	21	11	1.7
H7.10.24		晴/晴	21	7.01		142	361	32	23	14	1.6
H7.11.14		晴/晴	16.2	7.09		164	412	48	25	14	1.7
H7.12.6		晴/晴	11	7.33		48	445	46	24	12	2.1
H8.1.10	9:00	晴/晴	7.7	7.39		124	641	26	22	9.2	2.7
H8.2.20	10:35	晴/晴	11.1	7.46	4.27	146	441	51	33	22	0.5
H8.3.12	9:00	晴/晴	8.8	7.23	4.53	155	845	34	25	9.5	1.7
H8.4.17	10:35	晴/晴	15.5	7.35	3.63	163	466	9.1	13	15	0.5
H8.5.14	9:23	晴/晴	18.5	7.13	2.27	146	570	36	28	13	3.8
H8.6.11	10:20	曇/雨	23.3	7.17	3.14	241	1,741	9.1	13	15	0.5
H8.7.23	9:15	晴/晴	26	7.29	1.95	70	563	15	16	15	1.3
H8.5.14	8:55	晴/晴	19.6	7.37	1.7	96	1,464	40	28	15	3.3
H8.6.11	9:50	曇/雨	23.5	7.25	2.76	156	370	210	190	19	0.5
H8.7.23	8:45	晴/晴	25.9	7.3	0.57	104	503	31	23	28	4.2

	水温	PH	DO	ORP	導電率	BOD	COD	SS	n-hex
平均	18.1	7.17	1.77	80	533	61.5	35.2	20.5	4.3
中央値(メジアン)	17.2	7.14	1.7	77	472	51	28	18	3.6
範囲	20.9	2.05	5.14	399	1,486	200.9	177	50.5	16.5
最小	7.7	6.17	0	-158	255	9.1	13	6.5	0.5
最大	28.6	8.22	5.14	241	1,741	210	190	57	17
標本数	91	96	85	91	91	67	63	68	62



会津川切戸橋

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H3.10.18		雨/晴	20.1	8.6	9.4	224	152				
H3.10.21		晴/晴	16.6	7.59	9.7	237	168	1.8	1	1.2	0.5
H3.10.22		晴/晴	20.1	7.25	7.3	144	200				
H3.10.29		晴/曇	17.5	7.7	7.8	289	205	1.4	1.8	2	0.5
H3.11.6		晴/晴	15.8	6.91	10.4	189	178	0.9	2.2	3.2	0.5
H3.11.11		晴/晴	15.8	7.21	7.4	121	291	2.1	3.8	5.5	0.5
H3.11.20		晴/晴	13	6.66	5.4	99	129				
H3.11.30		晴/晴	14.4	6.99	6.5	162	281				
H3.12.10		晴/晴	11	7.02	5.8	161	209				
H3.12.10		一時雨/晴	11.6	7.23	5.7	180	188	1.4	1.8	1	0.5
H3.12.20		晴/晴	9.7	7.13	5	114	400				
H4.1.8		晴/晴	13.7	7.21	6.3	187	637				
H4.1.16		晴/晴	8.5	7.38	6.7	143	698				
H4.1.22		雨/晴	9.4	6.45	5.6	111	458				
H4.1.28		晴/晴	8.6	7.07	5.5	109	550				
H4.2.6		晴/晴	7.1	7.17	8.5	174	545				
H4.2.12		晴/曇	7.4	7.53	7.1	134	203	0.7	1.6	2.7	0.5
H4.2.19		晴/晴	9.1	6.7	6.4	127	261				
H4.2.26		晴/晴	7.8	6.85	7.4	131	582				
H4.3.2		晴/晴	13.4	7.01	7.2	150	598				
H4.3.10		雨/晴	12.4	6.89	4.8	123	191	2.5	3.3	6.5	0.5
H4.3.24		雨/曇	13.8	7.13	7.4	180	255				
H4.4.2		雨/晴	14.7	6.51	7	178	418				
H4.4.8		晴/曇	15.8	6.57	7.4	157	293	1.5	2.8	2	0.5
H4.4.27		晴/晴	15.8	7.27	7.9	169	164				
H4.5.6		晴/晴	16.4	6.78	6	135	196				
H4.5.15		曇/晴	17.4	7.43	6.8	152	143				
H4.5.22		晴/晴	18.2	7.58	6.6	214	187	1.4	1.8	1.7	0
H4.5.27		晴/晴	23.5	7.32	7.5	122	248				
H4.6.3		晴/晴	26.3	6.64		89	550				
H4.6.9		晴/晴	20.2	7.12	6.3	183	146	1.1	2.1	4.2	0.5
H4.6.17		晴/曇	19.9	6.92	4.8	163	262				
H4.6.26		晴/曇	20.9	7.05	6.8	161	191				
H4.7.10		晴/晴	22.6	7.16	6.6	175	193	1.9	1.9	2	0.5
H4.7.22		晴/晴	26.7	7.27	5	162	283				
H4.7.27		晴/晴	27	7.24	5	153	420				
H4.8.11		晴/晴	28.2	6.85	3	69	318	2.5	2.8	10	0.5
H4.9.8		晴/晴	25.8	6.76	4.8	108	306	1.2	3.4	3.5	0.5
H4.9.21		晴/曇	22.2	7.01	4.7	41	526				
H4.10.13		曇/曇	21.1	6.76	4.2	60	603	1.6	3	5.7	0.5
H4.11.2		晴/晴	13.4	7.53	5.9	52	434				
H4.11.18		晴/曇	13.3	7.15	6.7	104	499	1.3	1.8	1.7	0.5
H4.11.30		晴/晴	12.5	7.06	6.7	104	345				
H4.12.18		晴/曇	8.6	6.89	6.8	173	227	2.1	2.2	10	0.5
H5.1.12		晴/晴	10.3	7.08	6.9	148	272	1.5	2	4.7	0.5
H5.1.27		晴/曇	9.1	6.85	6.5	141	157				
H5.2.9		晴/曇	8	6.83	6.4	157	186	0.7	3	9.5	0.5
H5.3.9		晴/晴	9.9	7.2	11	147	321	0.7	22	1.5	0.5
H5.4.2		晴/晴	15.5	7.32	7.9	157	255				
H5.4.13		晴/晴	12.9	7.69	7	107	295	2	3.4	2.7	0.5
H5.5.12		曇/曇	19.6	7.9	5.8	135	228	0.5	2.8	3	0.5
H5.6.9		晴/曇	20.7	6.87	3.6	85	110	1.1	3.5	8.2	0.5
H5.7.13		晴/曇	23.1	7.62	4.7	202	199	2	1.3	3.5	0.5
H5.8.18		曇/曇	26.5	7.68	4.8	167	186	1.4	2.1	6	0.5
H5.9.20		晴/曇	20.4	7.67	5.9	359	240	1.1	1.8	5.2	0.5
H5.10.13		晴/曇	21.3	8.44	6.5	258	170	0.5	1.3	4.2	0.5
H5.11.9		曇/晴	14.8	8.05	5.4	327	462	1	1.8	3.5	0.5
H5.12.8		晴/晴	12.4	8.2	8.3	246	227	1.1	1.2	3	0.5
H6.1.19		曇/晴	7.8	8.22	7.3	253	323	0.5	4.3	18	0.5
H6.2.8		晴/晴	12.1	7.87	7.2	243	431	2.7	3.7	4.2	0.5
H6.3.11		晴/晴	6.7	8.55	6.9	298	421	0.6	1.2	1.7	0.5
H6.4.12		晴/雨	18.2	7.78	5.2	271	323	1.7	3.3	11	0.5
H6.5.17		晴/晴	23.3	8.31	4.6	298	230	1.7	4.2	4.5	0.5

	時間	天気	水温	PH	DO	OPR	導電率	BOD	COD	SS	n-hex
H6.6.17		晴/晴	25.6	7.58	5.5	278	399	2.4	4.5	2.2	0.5
H6.7.12		晴/晴	28.8	7.15	2.1	156	210	2.3	3.9	3.2	0.5
H6.8.9		晴/晴	29	7.42	4.3	202	1,528	2.6	3.4	5.7	0.5
H6.9.13		曇/曇	25.7	7.17	4.6	128	476	2.8	7.2	7.5	0.5
H6.10.11		曇/曇	23.8	7.23	4.8	238	350	1.3	3.4	1	0.5
H6.11.16		晴/曇	15.2	7.47	5.3	180	342	1.6	3.4	3	0.5
H6.12.13		晴/曇	15.1	7.66	7.6	209	295	0.8	3.4	1.6	0.5
H7.1.11		晴/晴	7	7.61	6.6	158	305	3.4	5.3	3	0.5
H7.2.10		晴/晴	8.9	7.69	6.5	189	347	1	3.6	3	0.5
H7.3.14		曇/晴	11.7	7.41	4.4	157	329	1.4	2.1	4.2	0.5
H7.4.26		曇/晴	15.4	7.62		282	352	1.3	19	8.5	0.5
H7.5.24		晴/晴	17.8	7.84		239	574	0.8	1.9	1	0.5
H7.6.7		晴/晴	20.6	7.71		237	1,561	0.9	2.6	5.5	0.5
H7.7.19		晴/晴	24.5	7.12		315	268	1.3	2.7	2	0.6
H7.8.7		晴/晴	29.1	6.99		172	1,378	3.1	3.4	2.5	0.5
H7.9.13		晴/晴	23.1	6.79		140	761	2.7	5.4	6	0.5
H7.10.24		晴/晴	21.7	6.85		104	1,477	2.2	4.6	10	1.8
H7.11.14		晴/晴	14.3			232	307	1.2	2.6	3	0.5
H7.12.6		晴/晴	8.6	7.16		146	652	1.3	2.7	2.5	0.5
H8.1.10	8:50	晴/晴	4.4	7.5		199	2,860	3	4.5	1.2	0.5
H8.2.20	10:15	晴/晴	10.2	7.29	6.99	117	800	1.5	3.3	11	3.3
H8.3.12	8:45	晴/晴	7.3	7.39	7.67	175	405	2.5	3.9	5.2	0.5
H8.4.17	10:15	晴/晴	13.2	8.01	9.37	226	663	1.6	2.4	6.5	0.5
H8.5.14	9:05	晴/晴	17.7	7.15	5	233	361	1.3	3	12	0.5
H8.6.11	10:05	曇/雨	22.9	7.33	6.18	240	373	1.4	5.2	11	0.5
H8.7.23	8:55	晴/晴	22.6	7.42	6.97	234	238	1.2	1.7	2	0.5

	水温	PH	DO	ORP	導電率	BOD	COD	SS	n-hex
平均	16.5	7.31	6.4	175	415	1.6	3.5	4.8	0.6
中央値(メジアン)	15.8	7.23	6.5	162	306	1.4	3	3.5	0.5
範囲	24.7	2.15	8.9	318	2,750	2.9	21	17	3.3
最小	4.4	6.45	2.1	41	110	0.5	1	1	0
最大	29.1	8.6	11	359	2,860	3.4	22	18	3.3
標本数	89	88	78	89	89	59	59	59	59

更新日 98/04/20  
平成9年度 田辺市 環境白書

本サイトに掲載されている記事・コラム・解説文・写真・その他すべての無許可転載を禁止します。  
あらゆる内容は日本の著作権法及び国際条約によって保護を受けています。  
Copyright 1997-2005 "Copyright Yoshinori Hirai". All rights reserved. Never reproduce or republicate without written permission.

微生物的環境技術研究所 <http://www.bikanken.com/>